U. S. Coast Guard Equipment List

ALL EQUIPMENT LISTED BELOW IS USCG ACCEPTED AND MAY BE USED AS LONG AS IN GOOD AND SERVICEABLE CONDITION
"Approved" items are approved for manufacture - "Former May Use" items are no longer manufactured

160.121 Hand Flares (SOLAS)

ALLIANT TECHSYSTEM, INC. KILGORE OPERATIONS KILGORE DRIVE TOONE TN 38381

160.121/0003/0 APPROVED High Output Hand Held Red Flare, 15,000 candela, 60 second burn time.

COMET GMBH POSTFACH 10-02-67 BREMERHAVEN 27502 GERMANY

160.121/0005/0 APPROVED Article No. 1328; Handflare, Red; 15,000 candela.

HANSSON PYROTECH BOX 93 BILLDAL

160.121/0007/0 APPROVED Polar MK 4 hand held red flare, 15,000 candella, 60 second burn time,

PAINS-WESSEX LTD HIGH POST ENGLAND SALISBURY, WILTSHIRE UNITED KINGDOM

160.121/0003/0 APPROVED Pains-Wessex Red MK 6 Handflare and Kilgore Red Hand Flare, 15,000 candela, 60 second burn time.

160.121/0008/0 APPROVED Red MK 7 Handflare, 15,000 candela, 60 second burn time.

ALLIANT TECHSYSTEM, INC. KILGORE OPERATIONS KILGORE DRIVE TOONE TN 38381

160.121/0001/0 FORMER-MAY USE High Output Hand Held Red Flare, 15,000 candela, 60 second burn time.

HANSSON PYROTECH BOX 93 BILLDAL

160.121/0002/0 FORMER-MAY USE Ploar MK 2 hand held red flare, 15,000 candela, 60 second burn time.

PAINS-WESSEX LTD HIGH POST ENGLAND SALISBURY, WILTSHIRE UNITED KINGDOM

160.121/0004/0 FORMER-MAY USE Schermuly Red MK 6 Handflare, 15,000 candela, 60 second burn time.

160.122 3-Minute Floating Smoke Signal (SOLAS)

COMET GMBH POSTFACH 10-02-67 BREMERHAVEN 27502 GERMANY

160.122/0004/0 APPROVED Article No. 1320; Smoke Signal, Orange, 4 minutes.

HANSSON PYROTECH BOX 93 BILLDAL

160.122/0002/0 APPROVED Floating Oange Smoke Distress Signal, 4 minute burn time.

PAINS-WESSEX LTD HIGH POST ENGLAND SALISBURY, WILTSHIRE UNITED KINGDOM

160.122/0003/0 APPROVED Pains-Wessex Schermuly Lifesmoke MK 3 and Kilgore Floating Orange Smoke, 3 minute burn time.

160.122/0004/0 APPROVED Lifesmoke MK 4 Floating Orange Smoke, 4 minute burn time.

ALLIANT TECHSYSTEM, INC. KILGORE OPERATIONS KILGORE DRIVE TOONE TN 38381

160.122/0001/0 FORMER-MAY USE Model X-5 floating orange smoke distress signal.

160.122/0005/0 FORMER-MAY USE Model K3A minute floating orange smoke distress signal.

Page 269 of 395 Note: Based on data as of March 1, 1998